

### SEMI MİKRO TERAZİLER 0,01 mg / 0,00001 gr

MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
ABT 100-5 M	101 gr	0,01 mg	Ø 80	OTO.
ABT 120-5 DM	42 / 120 gr	0,01 / 0,1 mg	Ø 80	OTO.
ABT 220-5 DM	82 / 220 gr	0,01 / 0,1 mg	Ø 80	OTO.



### ANALİTİK TERAZİLER 0,1 mg / 0,0001 gr

MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
ABS 220 - 4	220 gr	0,1 mg	Ø 80	EXT.
ABJ 220 - 4 M	220 gr	0,1 mg	Ø 80	OTO.
ABJ 320 - 4	220 gr	0,1 mg	Ø 80	OTO.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
ACJ 220 - 4 M	220 gr	0,1 mg	Ø 91	OTO.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
AEJ 200 - 4 CM	220 gr	0,1 mg	Ø 85	OTO.



### NEM TAYİN CİHAZLARI

MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
DBS 60 - 3 HALOGEN	60 gr	1 mg / % 0,01 50 - 200 °C	Ø 92	EXT.



**ANALİTİK TERAZİLER 1 mg / 0,001 gr**

MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
EMB 100 - 3	100 gr 1	mg	Ø 82	EXT.
EMB 200 - 3	200 gr	1 mg	Ø 82	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
PFB 120 - 3	120 gr	1 mg	Ø 80	EXT.
PFB 200 - 3	200 gr	1 mg	Ø 80	EXT.
PFB 300 - 3	300 gr	1 mg	Ø 80	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
PCB 250 - 3	250 gr	1 mg	Ø 81	EXT.
PCB 350 - 3	350 gr	1 mg	Ø 81	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
PLE 420 - 3 N	420 gr	1 mg	Ø 80	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
KB 240 - 3 N	240 gr	1 mg	Ø 81	EXT.
KB 360 - 3 N	360 gr	1 mg	Ø 81	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
PKS 200 - 3	200 gr	1 mg	Ø 81	EXT.
PKS 360 - 3	360 gr	1 mg	Ø 81	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
PLJ 300 - 3 CM	360 gr	1 mg	128 x 128	OTO.
PLJ 600 - 3 CM	600 gr	1 mg	128 x 128	OTO.
PLJ 700 - 3 C	750 gr	1 mg	128 x 128	OTO.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
PLS 420 - 3 F	420 gr	1 mg	Ø 110	EXT.
PLS 720 - 3 A	720 gr	1 mg	Ø 110	EXT.
PLS 1200 - 3 A	1200 gr	1 mg	Ø 110	EXT.



#### HASSAS TERAZİLER 10 mg / 0,01 gr

MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
EMB 200 - 2	200 gr	0,01 gr	Ø 105	EXT.
EMB 600 - 2	600 gr	0,01 gr	Ø 105	EXT.
EMB 1000 - 2	1000 gr	0,01 gr	Ø 105	EXT.
EMB 2000 - 2	2000 gr	0,01 gr	Ø 105	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
PFB 600 - 2 M	600 gr	0,01 gr	Ø 120	EXT.
PFB 1200 - 2	1200 gr	0,01 gr	Ø 120	EXT.
PFB 2000 - 2	2000 gr	0,01 gr	Ø 120	EXT.
PFB 3000 - 2	3000 gr	0,01 gr	Ø 120	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
PCB 200 - 2	200 gr	0,01 gr	Ø 105	EXT.
PCB 1000 - 2	1000 gr	0,01 gr	130 x 130	EXT.
PCB 2500 - 2	2500 gr	0,01 gr	130 x 130	EXT.
PCB 3500 - 2	3500 gr	0,01 gr	130 x 130	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
PLE 4200 - 2 N	4200 gr	0,01 gr	Ø 135	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
KB 650 - 2 NM	650 gr	0,01 gr	130 x 130	EXT.
KB 1200 - 2	1200 gr	0,01 gr	130 x 130	EXT.
KB 2000 - 2 N	2000 gr	0,01 gr	130 x 130	EXT.
KB 2400 - 2 N	2400 gr	0,01 gr	130 x 130	EXT.
KB 3600 - 2 N	3600 gr	0,01 gr	130 x 130	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
PKS 2000 - 2	2010 gr	0,01 gr	130 x 130	EXT.
PKS 3600 - 2	3610 gr	0,01 gr	130 x 130	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
PLJ 600 - 2 GM	600 gr	0,01 gr	128 x 128	OTO.
PLJ 3000-2 NM	3500 gr	0,01 gr	195 x 195	OTO.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
PLS 4200 - 2 F	4200 gr	0,01 gr	Ø 160	EXT.
PLS 6200 - 2 A	6200 gr	0,01 gr	Ø 160	EXT.



### HASSAS TERAZİLER 100 mg / 0,1 gr

MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
EMB 500 - 1	500 gr	0,1 gr	Ø 150	EXT.
EMB 1200 - 1	1200 gr	0,1 gr	Ø 150	EXT.
EMB 3000 - 1	3000 gr	0,1 gr	Ø 150	EXT.
EMB 6000 - 1	6000 gr	0,1 gr	Ø 150	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
PFB 600 - 1M	600 gr	0,1 gr	Ø 120	EXT.
PFB 6000- 1M	6000 gr	0,1 gr	155 x 145	EXT.
PFB 6000 - 1	6000 gr	0,1 gr	155 x 145	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
PCB 1000 - 1	1000 gr	0,1 gr	130 x 130	EXT.
PCB 2000 - 1	2000 gr	0,1 gr	130 x 130	EXT.
PCB 6000 - 1	6000 gr	0,1 gr	130 x 130	EXT.
PCB 10000 - 1	10000 gr	0,1 gr	130 x 130	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
KB 6500 -1NM	6500 gr	0,1 gr	150 x 170	EXT.
KB 10000-1 N	10000 gr	0,1 gr	150 x 170	EXT.



**MODEL**      **KAPASİTE**      **HASSASİYET**      **KEFE**      **KAL. SİST.**  
PKS 10 K 0,1      10100 gr      0,1 gr      150 x 170      EXT.



**MODEL**      **KAPASİTE**      **HASSASİYET**      **KEFE**      **KAL. SİST.**  
PLJ 6000-1 GM      6000 gr      0,1 gr      195 x 195      OTO.



**MODEL**      **KAPASİTE**      **HASSASİYET**      **KEFE**      **KAL. SİST.**  
FCB 3 K 0,1      3 kg      0,1 gr      252 x 228      EXT.  
FCB 8 K 0,1      8 kg      0,1 gr      252 x 228      EXT.



**MODEL**      **KAPASİTE**      **HASSASİYET**      **KEFE**      **KAL. SİST.**  
FCB 12 K 0,1 B      12,1 kg      0,1 gr      252 x 228      EXT.  
FCB 24 K 0,1 B      24,1 kg      0,1 gr      252 x 228      EXT.



**MODEL**      **KAPASİTE**      **HASSASİYET**      **KEFE**      **KAL. SİST.**  
FKB 8 K 0,1 A      8 kg      0,1 gr      340 x 240      EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
FKB 16 K 0,1	16,1 kg	0,1 gr	340 x 240	EXT.
FKB 36 K 0,1	36,1 kg	0,1 gr	340 x 240	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
DS 16 K 0,1	16,1 kg	0,1 gr	315 x 305	EXT.
DS 20 K 0,1	20,1 kg	0,1 gr	315 x 305	EXT.
DS 30 K 0,1	30,1 kg	0,1 gr	315 x 305	EXT.
DS 30 K 0,1 L	30,1 kg	0,1 gr	450 x 350	EXT.



### HASSAS TERAZİLER 0,5 gr

MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
FKB 15 K 0,5 A	15 kg	0,5 gr		EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
FKB 65 K 0,5	65,1 kg	0,5 gr	340 x 240	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
DE 15 K 0,2 D	6 / 15kg	0,2 / 0,5 gr	315 x 305	EXT.
DE 35 K 0,5 D	15 / 35 kg	0,5 / 1 gr	315 x 305	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
DS 65 K 0,5	65,1 kg	0,5 gr	450 x 350	EXT.
DS 100 K 0,5	101 kg	0,5 gr	450 x 350	EXT.



## ENDÜSTRİYEL TERAZİLER 1 gr

MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
PCB 6000 - 0	6000 gr	1 gr	150 x 170	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
PFB 6000-0 M	6000 gr	1 gr	155 x 145	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
FCB 12 K 1	12 kg	1 gr	252 x 228	EXT.
FCB 30 K 1	30 kg	1 gr	252 x 228	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
FKB 15 K 1 A	15 kg	1 gr	340 x 240	EXT.
FKB 30 K 1 A	30 kg	1 gr	340 x 240	EXT.
FKB 65 K 1 A	65 kg	1 gr	340 x 240	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
DE 60 K 1 D	30 / 60 kg	1 / 2 gr	315 x 305	EXT.
DE 60 K 1 DL	30 / 60 kg	1 / 2 gr	510 x 405	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
DS 150 K 1	151 kg	1 gr	450 x 350	EXT.





## FORKLİFT TERAZİLER

MODEL	KAPASİTE	HASSASİYET
VHE 2 T 5A	2200 kg	5 kg



MODEL	KAPASİTE	HASSASİYET
VHB 2 T1	2000 kg	1 kg



MODEL	KAPASİTE	HASSASİYET
VFS 2 T1	2000 kg	1 kg



MODEL	KAPASİTE	HASSASİYET
VHS 2 T1	2000 kg	1 kg



MODEL	KAPASİTE	HASSASİYET
VHM 2 T2M	2000 kg	2 kg

